


+ new edition

Tempotest Home®


ITALIAN PERFORMANCE FABRICS

strutture+

caravaggio



51608/41



51608/20



51608/7



51608/34



51608/36



51608/9



51608/31



51608/2



51608/6



51608/4



51608/42



51608/16



51608/43



51608/32

raffaello



50965/9



50965/36




50965/1




50965/2



50965/3



50965/4



50965/10



50965/7



50965/13



50965/6



50965/5



50965/18




50965/16



50965/51



50965/8




50965/54

micelangelo



50964/22



50964/11




50964/12



50964/13



50964/23



50964/14



50964/16



50964/15



50964/17



50964/18



50964/19




50964/20



50964/21



50964/6



50964/4



50964/7



50964/8



50964/9



50964/5




50964/10



50964/1



50964/2



50964/3

donatello



50963/16




50963/7



50963/8




50963/9



50963/11



50963/17



50963/10



50963/13



50963/6



50963/14



50963/12




50963/15



50963/4



50963/3



50963/2



50963/1

spugna



50998/92



50998/151



50998/52



50998/926



50998/15



50998/79



50998/97



50998/24



strutture+ new edition



Tempotest Home®



DATI TECNICI

ALTEZZA (CM)

CARAVAGGIO, DONATELLO, MICHELANGELO, RAFFAELLO 145
SPUGNA 150

PESO (G/M²)

DONATELLO 330
MICHELANGELO 360
RAFFAELLO 380
SPUGNA 430
CARAVAGGIO 390

COMPOSIZIONE

100% FIBRA ACRILICA OUTDOOR TINTA IN MASSA

SOLIDITÀ DEI COLORI ALLE INTEMPERIE ARTIFICIALI UNI EN ISO 105 B04

GRADO > 7/8

GARANZIA

GARANZIA 6 ANNI

FINISSAGGIO

ANTIMUFFA, ANTIMACCHIA, IDRO E OLEO REPELLENTE
CON TRATTAMENTO TEFLON

TECHNICAL FEATURES

WIDTH (INCH)

CARAVAGGIO, DONATELLO, MICHELANGELO, RAFFAELLO 57"
SPUGNA 59"

WEIGHT (OZ/SQ YARD)

DONATELLO 9,7
MICHELANGELO 10,6
RAFFAELLO 11,2
SPUGNA 12,7
CARAVAGGIO 11,5

COMPOSITION

100% SOLUTION DYED OUTDOOR ACRYLIC FIBRE

COLOUR FASTNESS TO ARTIFICIAL WEATHERING UNI EN ISO 105 B04

DEGREE > 7/8

GUARANTEE

6-YEARS WARRANTY

FINISHING

MOULD RESISTANCE, SOIL RESISTANT, OIL AND
WATER- REPELLENT WITH TEFLON FINISHING

MANUTENZIONE E LAVAGGIO



LE MACCHIE SUI TESSUTI DELLE COLLEZIONI TEMPOTEST HOME® POSSONO ESSERE ELIMINATE CON UNA SEMPLICE SOLUZIONE DI ACQUA (NON PIÙ DI 40°C) E SAPONE, SPAZZOLANDO E RISCACCIANDO ACCURATAMENTE. È POSSIBILE LAVARE I TESSUTI A SECCO O IN LAVATRICE A 30°C CON DETERSIVO LIQUIDO E CON CENTRIFUGA BLANDA. LASCIARE ASCIUGARE IL TESSUTO ALL'ARIA APERTA. NON ASCIUGARE CON APPARECCHI ELETTRICI E NON STIRARE CON VAPORE.

GARANZIA

I TESSUTI DELLE COLLEZIONI TEMPOTEST HOME® SONO COPERTI DA UNA GARANZIA DI 6 ANNI. TALE GARANZIA COPRE ESCLUSIVAMENTE LA PERDITA DI COLORE E DI TENACITÀ DOVUTE ALLA NORMALE ESPOSIZIONE ALL'AZIONE DEL SOLE E DEGLI AGENTI ATMOSFERICI IN GENERALE.

MAINTENANCE AND CLEANING

STAINS ON TEMPOTEST HOME® FABRICS CAN BE REMOVED WITH A SOLUTION OF WATER (NOT MORE THAN 40°C) AND NEUTRAL SOAP, BRUSHING AND RINSING THOROUGHLY. IT IS POSSIBLE TO DRY WASH THE FABRIC OR IN WASHING MACHINE AT 30°C WITH LIQUID DETERGENT. USE LOW SPEED SPIN-DRYER. LET DRY THE FABRIC AT THE OPEN AIR. DO NOT DRY WITH ELECTRICAL APPLIANCES AND DO NOT IRON WITH STEAM.

WARRANTY

TEMPOTEST HOME® FABRICS ARE GUARANTEED 6 YEARS. THE WARRANTY ONLY COVERS LOSS OF COLOUR AND TENACITY, DUE TO THE NORMAL EXPOSURE TO THE ACTION OF UV RAYS AND WEATHER CONDITIONS IN GENERAL.



Detest op schadelijke stoffen
Passed for harmful substances
Schadstoffgeprüfte Textilien
Testé substances nocives
Test sostanze nocive
vrijens de / according to / nach /
d'après / según
Öko-Tex Standard 100

Condizioni di Garanzia su WWW.TEMPOTEST.IT
Conditions of Warranty on WWW.TEMPOTEST.IT



Misc. - Oleo repellente
Oil and water repellent



Temporarily Resistant



Resistant to Sun
Colour fast to light



Tint in mass -
Colour dyed in mass
Colour in and outside



Imprescindibile
Mould resistant



Antimacchia
Soil resistant



Interno
ed Esterno
In & Outdoor