



AWNING FABRICS

60"



TEMPOTEST®

ITALIAN PERFORMANCE FABRICS

SOLID COLORS *Order, linearity and simplicity*



T5-60 Forest Green [UNCOATED]



T5-60C Forest Green [COATED]



White
T15-60 | T15-60C



Snow
T1593-60 | T1593-60C



Latte
T1552-60



Oyster
T1514-60 | T1514-60C



Cream
T151-60 | T151-60C




Beige
T52-60 | T52-60C



Cappuccino
T102-60



Toast
T101-60




Mist
T1579-60 | T1579-60C



Grey
T94-60 | T94-60C



Charcoal
T97-60



Silver Tweed
T40779-60



Driftwood
T926-60



Toffee
T106-60



Powder Blue
T21-60 | T21-60C



Pacific Blue
T416-60 | T416-60C



Intense Blue
T414-60



Royal Blue Tweed
T40713-60



Navy
T75-60 | T75-60C



Indigo
T92-60 | T92-60C




Red [P]
T11-60 | T11-60C



Brick [P]
T426-60



Maroon [P]
T415-60 | T415-60C



Red Tweed [P]
T40711-60



Chocolate
T81-60



Beige Tweed
T40752-60



Sunflower [P]
T12-60



Forest Green
T5-60 | T5-60C



Forest Tweed
T4076-60



Black
T24-60 | T24-60C

Please note: The underside of the coated goods will appear darker when compared to the topside of the fabric depending on color. The coated side should be installed on the inside.

Part #-60 = uncoated 60"

Part #-60C = coated 60"

[P]=Premium color



Technical features

Composition	Construction (UNI 8099/80)		Width (UNI EN 1773/98)	Weight (UNI EN 5114/82)	Thickness	Water column (UNI EN 20811)	Impermeability (UNI EN 24920)	Oil repellent (AATCC118)	Colors fastness to light and to weathering	Breaking load (UNI EN ISO 13934-1)	HI-CLEAN
100% solution dyed acrylic fiber "outdoor"	79 ends/inch count Ne 20/2	36 picks/inch count Ne 20/2	60"	8.8 oz/yd ² (+/- 5%)	0.022"	≥ 38 cm	Spray Test 5 (100)	5 Degree	7/8-8 degree blue scale (UNI EN ISO 105 B02) (UNI EN ISO 105 B04)	Warp: 1700 N Elongation: 30.5% Weft: 1000 N Elongation: 24.5%	Special treatment made of microparticles covering a large surface area which gives, in partnership with Teflon® EXTREME, the following characteristics: • Repellent to normal dirt formation • Water and Oil repellent
				COATED 9.1 oz/yd ² (+/- 5%)	COATED 0.023"	COATED > 100 cm		4/5 degree grey scale After 1000 hours of exposure (UNI EN ISO 105 B04)			







General warranty terms at
www.tempotestusa.com



Tempotest fabric meets all requirements of paragraph "Fabric" 15.2 of UNI EN 13561:2009

The data corresponds to the state of affairs at the moment this technical data sheet is printed. Para reserves the right to make changes to improve the product technically. The updated technical data is available at www.tempotestusa.com.

NAME	CODE					Atmosphere	PANTONE	Tempotest Home®
Beige Tweed	T40752	90%	93%	50+	0.12		16-1010	
Beige*	T52	89%	93%	50+	0.12		15-1216	TH5215
Black*	T24	99%	99%	50+	0.08		19-0303	TH24
Brick	T426	95%	99%	50+	0.09		19-1250	TH42615
Cappuccino	T102	89%	93%	50+	0.14		15-1215	TH102
Charcoal	T97	97%	99%	50+	0.08		18-0201	TH97
Chocolate	T81	99%	99%	50+	0.08		19-0915	TH81
Cream*	T151	83%	85%	50+	0.14		13-0513	TH15115
Driftwood	T926	93%	96%	50+	0.09		18-1110	TH926
Forest Green*	T5	97%	99%	50+	0.08		18-5322	TH5
Forest Tweed	T4076	95%	99%	50+	0.10		19-5420	TH5
Grey*	T94	91%	92%	50+	0.10		16-5803	TH9415
Indigo*	T92	99%	99%	50+	0.08		19-4023	TH92
Intense Blue	T414	94%	99%	50+	0.10		19-3950	TH10
Latte	T1552	80%	84%	35	0.15		13-0000	TH15151
Maroon*	T415	92%	99%	50+	0.10		19-1650	TH7315
Mist*	T1579	80%	82%	25	0.14		14-4201	TH7915
Navy*	T75	97%	99%	50+	0.09		19-4027	TH75
Oyster*	T1514	80%	86%	40	0.15		13-0403	TH1033929
Pacific Blue*	T416	92%	98%	50+	0.09		18-4440	TH13
Powder Blue*	T21	87%	92%	50+	0.12		16-4414	TH2115
Red Tweed	T40711	95%	99%	50+	0.09		19-1650	TH7315
Red*	T11	90%	96%	50+	0.09		19-1763	TH11
Royal Blue Tweed	T40713	95%	99%	50+	0.10		19-4027	TH75
Silver Tweed	T40779	92%	95%	50+	0.09		18-5203	TH1215
Snow*	T1593	75%	76%	25	0.18		12-0404	TH9315
Sunflower	T12	81%	86%	50+	0.14		13-0947	TH1215
Toast	T101	88%	92%	50+	0.15		16-1341	TH101
Toffee	T106	86%	93%	50+	0.09		18-1018	TH106
White*	T15	73%	74%	15	0.18		11-4300	TH15

* Available in coated

TEMPOTEST® COLLECTION

In designing our new collection, we have revisited the past and drawn inspiration from Feng Shui.

Our collection includes an incredibly wide range of colors with each one evoking particular feelings to create the perfect atmosphere for outdoor living.

SYMBOL

- | | | | |
|---|---|---|---|
|  | Solar heat protection |  | Creates a fresh and bright shade |
|  | Solar light protection |  | Creates a warm and cozy tone shade |
|  | Protection from U.V. rays - UPF |  | Creates a neutral and attenuated tone shade |
|  | % of the incident energy transmitted inside |  | Reference Tempotest Home® |

Distributed Exclusively By:



THE **miami**™
CORPORATION

www.miamicorp.com
800.543.0448

Applications Include:

Marine

Awning & Shade

Albany, NY | Cincinnati, OH | Dallas, TX | Jacksonville, FL

Phone: 800.543.0448 | Web: miamicorp.com